



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ OEM ADVANCED AFC 40 CONC
Coolant

Version: 5.0

Revision Date: 11.02.2025

Print Date: 14/10/2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Valvoline™ OEM ADVANCED AFC 40 CONC
Coolant

Product code : 892091

Unique Formula Identifier : 6K92-CPWF-Q307-UEA4
(UFI)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Coolant and antifreeze.
Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Ellis Enterprises B.V., an affiliate of Valvoline Global
Operations
Wieldrechtseweg 39
3316 BG Dordrecht
Netherlands

Telephone : +31 (0)78 654 3500 (in the Netherlands), or contact your local
CSR contact person

E-mail address of person : SDS@valvolineglobal.com
responsible for the SDS

1.4 Emergency telephone number

+1-800-VALVOLINE (+1-800-825-8654), or contact your local emergency telephone number
at 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4

H302: Harmful if swallowed.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ OEM ADVANCED AFC 40 CONC
Coolant

Version: 5.0

Revision Date: 11.02.2025

Print Date: 14/10/2026

Specific target organ toxicity - repeated
exposure, Category 2, Kidney

H373: May cause damage to organs through
prolonged or repeated exposure if swallowed.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H302 Harmful if swallowed.
H373 May cause damage to organs (Kidney) through
prolonged or repeated exposure if swallowed.

Precautionary statements : **Prevention:**
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON
CENTER/ doctor if you feel unwell. Rinse mouth.
P314 Get medical advice/ attention if you feel unwell.

Disposal:

P501 Dispose of contents/ container to an approved waste
disposal plant.

Hazardous components which must be listed on the label:
ethanediol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ OEM ADVANCED AFC 40 CONC
Coolant

Version: 5.0

Revision Date: 11.02.2025

Print Date: 14/10/2026

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Ethenediol	107-21-1 203-473-3 603-027-00-1 01-2119456816-28- xxxx	Acute Tox. 4; H302 STOT RE 2; H373 (Kidney)	>= 90 - <= 100
disodium sebacate	17265-14-4 241-300-3	Eye Irrit. 2; H319	>= 2,5 - < 5
methyl-1H-benzotriazole	29385-43-1 249-596-6 01-2119979081-35	Acute Tox. 4; H302 Repr. 2; H361d Aquatic Chronic 2; H411	>= 0,1 - < 0,25

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: If on skin, rinse well with water.
In case of eye contact	: Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Induce vomiting immediately and call a physician. Keep respiratory tract clear.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ OEM ADVANCED AFC 40 CONC
Coolant

Version: 5.0

Revision Date: 11.02.2025

Print Date: 14/10/2026

Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

Risks : Harmful if swallowed.
May cause damage to organs through prolonged or repeated exposure if swallowed.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ OEM ADVANCED AFC 40 CONC
Coolant

Version: 5.0

Revision Date: 11.02.2025

Print Date: 14/10/2026

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : For personal protection see section 8.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform
respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,
acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the
application area.
Dispose of rinse water in accordance with local and national
regulations.

Advice on protection against : Normal measures for preventive fire protection.
fire and explosion

Hygiene measures : When using do not eat or drink. When using do not smoke.
Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep container tightly closed in a dry and well-ventilated
areas and containers place. Observe label precautions. Electrical installations /
working materials must comply with the technological safety
standards.

Further information on : No decomposition if stored and applied as directed.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ OEM ADVANCED AFC 40 CONC
Coolant

Version: 5.0

Revision Date: 11.02.2025

Print Date: 14/10/2026

storage stability

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
ethanediol	107-21-1	TWA	10 ppm 26 mg/m3	IS OEL
	Further information: Skin notation			
		TWA (Mist)	10 ppm 26 mg/m3	IS OEL
	Further information: Skin notation			
		STEL	40 ppm 104 mg/m3	IS OEL
	Further information: Skin notation			
		TWA	20 ppm 52 mg/m3	2000/39/EC
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		STEL	40 ppm 104 mg/m3	2000/39/EC
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Hand protection

Material : butyl-rubber

Break through time : > 30 min

Glove thickness : 0,4 mm

Directive : Equipment should conform to EN 374

Protective index : Class 2

Material : butyl-rubber

Break through time : > 30 min



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ OEM ADVANCED AFC 40 CONC
Coolant

Version: 5.0

Revision Date: 11.02.2025

Print Date: 14/10/2026

Glove thickness : 0,7 mm
Directive : Equipment should conform to EN 374
Protective index : Class 2

Remarks : The suitability for a specific workplace should be discussed
with the producers of the protective gloves.
Skin and body protection : Impervious clothing
Choose body protection according to the amount and
concentration of the dangerous substance at the work place.
Respiratory protection : No personal respiratory protective equipment normally
required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid
Colour : violet
Odour : No data available
Odour Threshold : No data available

Melting point/freezing point : -34 °C

Boiling point/boiling range : No data available

Flammability : No data available

Upper explosion limit / Upper
flammability limit : No data available

Lower explosion limit / Lower
flammability limit : No data available

Flash point : Not applicable

Decomposition temperature : No data available

pH : ca. 8,4

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Solubility(ies)



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ OEM ADVANCED AFC 40 CONC
Coolant

Version: 5.0

Revision Date: 11.02.2025

Print Date: 14/10/2026

Water solubility : No data available
Solubility in other solvents : No data available

Partition coefficient: n-
octanol/water : No data available
Vapour pressure : No data available

Relative density : No data available

Density : ca. 1,129 g/cm³ (15 °C)

Relative vapour density : No data available

Particle characteristics
Particle size : Not applicable

9.2 Other information

Oxidizing properties : No data available

Self-ignition : No data available

Evaporation rate : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : excessive heat

No data available

10.5 Incompatible materials



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ OEM ADVANCED AFC 40 CONC
Coolant

Version: 5.0

Revision Date: 11.02.2025

Print Date: 14/10/2026

Materials to avoid : Not applicable

Acids
Aldehydes
Alkali metals
Alkaline earth metals
Bases
strong alkalis
Strong oxidizing agents
Sulphur compounds

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 539,18 mg/kg
Method: Calculation method

Components:

ethanediol:

Acute oral toxicity	:	LD0 (Human): estimated 1,56 g/kg Assessment: The component/mixture is moderately toxic after single ingestion.
Acute inhalation toxicity	:	LC50 (Rat): 10,9 mg/l Exposure time: 1 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit): 9.530 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Rat): 5.010 mg/kg Application Route: Intraperitoneal



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ OEM ADVANCED AFC 40 CONC
Coolant

Version: 5.0

Revision Date: 11.02.2025

Print Date: 14/10/2026

LD50 (Rat): 3.260 mg/kg
Application Route: Intravenous

disodium sebacate:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

methyl-1H-benzotriazole:

Acute oral toxicity : LD50: > 300 - < 2.000 mg/kg
Assessment: The component/mixture is moderately toxic after
single ingestion.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Components:

ethanediol:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Components:

ethanediol:

Result : Slight, transient irritation

disodium sebacate:

Result : Moderate eye irritation

methyl-1H-benzotriazole:

Result : Slight, transient irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ OEM ADVANCED AFC 40 CONC
Coolant

Version: 5.0

Revision Date: 11.02.2025

Print Date: 14/10/2026

Components:

ethanediol:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.

methyl-1H-benzotriazole:

Assessment	:	Does not cause skin sensitisation.
------------	---	------------------------------------

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

ethanediol:

Genotoxicity in vitro	:	Test Type: Ames test
		Test system: Salmonella typhimurium
		Metabolic activation: with and without metabolic activation
		Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

methyl-1H-benzotriazole:

Reproductive toxicity - Assessment	:	Some evidence of adverse effects on development, based on animal experiments.
---------------------------------------	---	--

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.

Components:

ethanediol:

Exposure routes	:	Ingestion
Target Organs	:	Kidney
Assessment	:	May cause damage to organs through prolonged or repeated



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ OEM ADVANCED AFC 40 CONC
Coolant

Version: 5.0

Revision Date: 11.02.2025

Print Date: 14/10/2026

|| exposure.

Aspiration toxicity

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Experience with human exposure

Components:

ethanediol:

|| Ingestion : Target Organs: **Kidney**

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

ethanediol:

|| Toxicity to fish : **LC50 (Lepomis macrochirus (Bluegill sunfish)): 27.540 mg/l**
Exposure time: **96 h**
Test Type: **static test**

LC50 (Pimephales promelas (fathead minnow)): 8.050 mg/l
Exposure time: **96 h**

|| Toxicity to daphnia and other aquatic invertebrates : **LC50 (Daphnia magna (Water flea)): > 10.000 mg/l**
Exposure time: **48 h**



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ OEM ADVANCED AFC 40 CONC
Coolant

Version: 5.0

Revision Date: 11.02.2025

Print Date: 14/10/2026

	Test Type: static test
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 6.500 - 13.000 mg/l End point: Growth inhibition Exposure time: 7 Days
Toxicity to fish (Chronic toxicity)	: NOEC: 32.000 mg/l Exposure time: 7 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 24.000 mg/l Exposure time: 7 d Species: Daphnia magna (Water flea)

methyl-1H-benzotriazole:

Toxicity to fish	: LC50 (Cyprinodon variegatus (sheepshead minnow)): 55 mg/l Exposure time: 96 h Test Type: semi-static test
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 8,58 mg/l Exposure time: 48 h Test Type: static test Remarks: Information given is based on data on the components and the ecotoxicology of similar products.
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): 62 mg/l Exposure time: 72 h

12.2 Persistence and degradability

Components:

ethanediol:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 90 - 100 % Exposure time: 10 d Method: OECD Test Guideline 301
------------------	--

12.3 Bioaccumulative potential

Components:

ethanediol:

Bioaccumulation	: Species: Crayfish (Procambarus)
-----------------	-----------------------------------



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ OEM ADVANCED AFC 40 CONC
Coolant

Version: 5.0

Revision Date: 11.02.2025

Print Date: 14/10/2026

Exposure time: 61 d
Concentration: 1000 mg/l
Bioconcentration factor (BCF): 0,27
Method: Flow through

Partition coefficient: n-
octanol/water : log Pow: -1,36

methyl-1H-benzotriazole:

Partition coefficient: n-
octanol/water : log Pow: 1,71

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological
information : No data available

Global warming potential

Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)

Components:

decamethylcyclopentasiloxane:

20-year global warming potential: 1,04



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ OEM ADVANCED AFC 40 CONC
Coolant

Version: 5.0

Revision Date: 11.02.2025

Print Date: 14/10/2026

100-year global warming potential: 0,289
500-year global warming potential: 0,082
Atmospheric lifetime: 0,016 yr
Radiative efficiency: 0,098 Wm2ppb
Further information: Miscellaneous compounds

octamethylcyclotetrasiloxane [D4]:

20-year global warming potential: 2,66
100-year global warming potential: 0,739
500-year global warming potential: 0,211
Atmospheric lifetime: 0,027 yr
Radiative efficiency: 0,12 Wm2ppb
Further information: Miscellaneous compounds

dodecamethylcyclohexasiloxane:

20-year global warming potential: 0,51
100-year global warming potential: 0,142
500-year global warming potential: 0,04
Atmospheric lifetime: 0,011 yr
Radiative efficiency: 0,086 Wm2ppb
Further information: Miscellaneous compounds

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- | | |
|------------------------|--|
| Product | : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company. |
| Contaminated packaging | : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers. |
| Waste Code | : The Waste code should be assigned in discussion between the user and the waste disposal company.
The following Waste Codes are only suggestions:
16 01 14, antifreeze fluids containing hazardous substances |

SECTION 14: Transport information

14.1 UN number or ID number



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ OEM ADVANCED AFC 40 CONC
Coolant

Version: 5.0

Revision Date: 11.02.2025

Print Date: 14/10/2026

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good

14.2 UN proper shipping name

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good

14.4 Packing group

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA_P (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 75, 3
--	---	---



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ OEM ADVANCED AFC 40 CONC
Coolant

Version: 5.0

Revision Date: 11.02.2025

Print Date: 14/10/2026

If you intend to use this product as
tattoo ink, please contact your
vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	: Not applicable
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	: Not applicable

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. RAW MATERIAL - VALV Dodecanedioic acid, dipotassium salt D93026 CHROMATINT RED 2600 ARTIKEL 10497 - EMEA Stabilized silicate for Coolant production
ENCS	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ OEM ADVANCED AFC 40 CONC
Coolant

Version: 5.0

Revision Date: 11.02.2025

Print Date: 14/10/2026

NZIoC : Not in compliance with the inventory

15.2 Chemical safety assessment

No data available

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.
H319 : Causes serious eye irritation.
H361d : Suspected of damaging the unborn child.
H373 : May cause damage to organs through prolonged or repeated exposure if swallowed.
H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Irrit. : Eye irritation
Repr. : Reproductive toxicity
STOT RE : Specific target organ toxicity - repeated exposure
2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
IS OEL : Iceland. Regulation on occupational exposure limits.
2000/39/EC / TWA : Limit Value - eight hours
2000/39/EC / STEL : Short term exposure limit
IS OEL / TWA : Long term exposure limit
IS OEL / STEL : Short term exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ OEM ADVANCED AFC 40 CONC
Coolant

Version: 5.0

Revision Date: 11.02.2025

Print Date: 14/10/2026

International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Internal information : 000000276877

Classification of the mixture:

Acute Tox. 4	H302
STOT RE 2	H373

Classification procedure:

Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IS / EN